



REVISION		
REV.	DATE	BY
-	-	-



Gared Holdings, LLC
 9200 E. 146th St. Noblesville, IN 46060

THIS DOCUMENT CONTAINS TRADE SECRET AND OTHER MATERIALS WHICH ARE PROTECTED BY CONFIDENTIALITY NOTICE AND AGREEMENT AND BY COPYRIGHT. ANY USE OR COPYING OF THIS DOCUMENT EXCEPT AS AUTHORIZED BY GARED HOLDINGS, LLC IS STRICTLY PROHIBITED.

1108 CURTAIN LOCK					
DRAWN	DKH	DATE	11/26/08	MATERIAL	STEEL
APPROVED	CONNERLEY	DATE	11/26/08	FINISH	POWDER COAT
FILE LOC. Q:\PENDING RELEASE\1108 CURTAIN LOK				DWG. NO.	Dwg_Num
SIZE	SCALE	SHT. NO.	PART NO.	REV	-
A	NOTED	1 OF 1	1108		



1108

CURTAIN LOCK

The Curtain Lock is specifically designed to prevent divider curtains from falling in the event of a failure of the drive motor. Instead of a strap that reels in and out that locks on an over-speed condition similar to the model 1100 safe strap, the Curtain Lock mounts directly to the divider curtain drive shaft. When the drive shaft experiences an over-speed condition, the Curtain Lock will immediately lock and prevent the curtain from falling.

The 2 3/8" O.D. drive pipe is slid through the Curtain Lock rotating member and secured using a 1/2" diameter bolt. The Curtain Lock housing is attached to the curtain supporting structure with a bracket to prevent the housing from turning.

Maximum hanging curtain weight shall be 800 lbs.

Curtain Lock shall be designed to lock in either direction to allow for flexibility in installation.