



MODEL AAB35 and MODEL AAB45

ADJUSTABLE HEIGHT OUTDOOR BASKETBALL SYSTEM

AAB35

This unit is designed to allow for height adjustment of the extension arm by using two 1/2" diameter "U" bolts that secure extension arm to vertical post. The extension arm shall be 3 1/2" O.D. galvanized pipe and shall extend 36" out from the vertical post. The vertical post shall be 3 1/2" O.D. galvanized pipe with top cap. The mounting plate used as a direct goal attachment for the backboard. Two braces extending from the upper mounting points of the backboard to the extension arm provide added rigidity to the system. The system can be used with all outdoor front and rear mounted boards and goals.

Post shall extend into the concrete footing at least 36". Concrete footing shall be 24" minimum in diameter and 48" minimum deep.

Concrete for installation not included.

AAB45

This unit is designed to allow for height adjustment of the extension arm by using two 1/2" diameter "U" bolts that secure extension arm to vertical post. The extension arm shall be 3 1/2" O.D. galvanized pipe and shall extend 45" out from the vertical post. The vertical post shall be 4 1/2" O.D. galvanized pipe with top cap. The mounting plate used as a direct goal attachment for the backboard. Two braces extending from the upper mounting points of the backboard to the extension arm provide added rigidity to the system. The system can be used with all outdoor front and rear mounted boards and goals.

Post shall extend into the concrete footing at least 36". Concrete footing shall be 24" minimum in diameter and 48" minimum deep.

Concrete for installation not included.